Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1542	history near log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:01
L2	3705	history near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:02
L3	8379787	numer\$4 or number or multiple or many	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:02
L4	857305	L3 with (window or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:02
L5	23529	L4 with open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:02
L6	141	L5 and (I1 or I2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:13
L7	2	"20060036995"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:13
S1	217	user with advanc\$3 near mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 10:37

S2	4	"5428733".pn. or "5287448".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 08:22
S3	21434	user near mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 08:22
S4	162	S3 with adjustment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 08:22
S5	77	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 08:46
S8	16824	level with (expertise or experience)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:16
S9	130839	personaliz\$5 or customiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/09/06 13:16
S10	193617	user near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:16
S11	1538	S9 near S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:16

S12	8	S8 same S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:17
S13	570	yahoo.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 14:07
S14	3	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 14:07
S15	75	software near personaliz\$5	USPAT	OR	ON	2006/09/06 14:48
S16	499	customiz\$5 with software with interface	USPAT	OR	ON	2006/09/06 14:18
S17	77	(715/707).CCLS.	US-PGPUB; USPAT;	OR	OFF	2006/09/07 08:48
	en sold to the sol		USOCR; EPO; JPO; DERWENT; IBM_TDB			
S18	15	S17 and (level with (experience or expertise or proficiency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 15:53
S19	234	(715/708).CCLS.	US-PGPUB; USPAT;	OR	OFF	2006/09/07 09:48
			USOCR; EPO; JPO; DERWENT; IBM_TDB		A second	
S20	260	(715/705).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/09/07 15:44

S22	77	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 16:46
S23	5	S22 and (shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/07 16:04
			IBM_TDB	. :	-	
S24	131079	personaliz\$5 or customiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:04
S25	974	S24 with short	US-PGPUB;	OR	ON"	2006/09/07 16:05
***		र पर्वासिक्षिति है। विकास स्वीक्षिक स्वी	USPAT; USOCR;		و د روسها	
			EPO; JPO;			
			DERWENT; IBM_TDB			
S26	14	S24 near shortcut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:27
S28	6	shortcut same enabl\$3 with access same S24	US-PGPUB; USPAT; USOCR;	OR	ON -	2006/09/07 16:29
			EPO; JPO; DERWENT; IBM_TDB	* *		
S29	1026	adobe.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:42
S30	6662	S24 with (menu or button or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:45

S31	5	S29 and S30	US-PGPUB;	OR	ON	2006/09/07 16:42
331	3		USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		5.,	
S32	5312	S24 with (user near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:46
S33	12	S32 same shortcut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 16:56
S34	8	notif\$7 with chang\$3 with interface near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR A S	ON	2006/09/07 17:23
S35	25	(US-20040041829-\$ or US-20050120313-\$ or US-20030025724-\$ or US-20020055872-\$ or US-20040189684-\$ or US-20040268260-\$ or US-20050203767-\$ or US-20050015728-\$ or US-20050015728-\$ or US-20040109031-\$ or US-20030090519-\$).did. or (US-6262730-\$ or US-7089499-\$ or US-7080321-\$ or US-5535321-\$ or US-5513308-\$ or US-5515501-\$ or US-7065188-\$ or US-6917958-\$ or US-5995101-\$ or US-6243759-\$). did.	US-PGPUB; USPAT	OR	ON	2006/09/07 17:39
S36	2	S35 and (online near help)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 17:45

S37	951	online near help	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/11 13:26
S38	131138	personaliz\$5 or customiz\$5	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 13:26
S39	41	S38 with S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 14:04
\$40	410	keyboard near shortcut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 14:04
S41	8389312	use or using or usage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 14:05
S42	76	S40 with S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:33
S43	16850	level with (expertise or experience)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:57
S44	2	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:33

S45	4	S43 and (window with open with (concurrently or concurrent or simultaneous or simultaneously))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:01
S46	10026	(instruction\$2 near tip) or (tool near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:04
S47	39169	(identify or identifying or identified) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:02
S48	9°	S46 same S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:02
S49	110	(instruction\$2 near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:04
S50	27604	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:35
S51	131314	personaliz\$5 or customiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:35
S52	11860	S51 with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:38

S54	5721	S51 with interface and (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:39
S55	355	S50 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:53
S57	4539494	detect\$3 or monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:53
S58	4288201	concurrent\$2 or multiple or many	US-PGPUB;	OR	ON	2006/09/12 10:54
1.48		トレート・イング・デルデーを輸送を基準した。 - アイカル 東海 といっこ	USPAT; USOCR;			
			EPO; JPO;		γ. 	
	inger og skille state flere Killer og kritisk og skiller		DERWENT; IBM_TDB			
CEC	6364534	na an a		00	ON!	2006/00/42 40 55
S59	6261531	window or application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:55
S60	17156	S57 with S58 with S59	US-PGPUB;	OR-	ON	.2006/09/12 10:56
			USPAT;		a tale ja	\$ - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
			USOCR; EPO; JPO;	And the second		
	in it is the second		DERWENT;			
			IBM_TDB			
S61	503	customiz\$5 with software with interface	USPAT	OR	ON	2006/09/12 10:56
S62	9	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 10:56
S63	10389	(background or daemon) near (program or process or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:48

S64	503	customiz\$5 with software with interface	USPAT	OR	ON	2006/09/12 14:48
S65	21	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:45
S66	2358	histor\$4 same (application or window or screen) same open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:47
S67	_ 65892	(experti\$3 or experience\$1 or advance\$1 or proficienc\$1) with	US-PGPUB; USPAT;	OR	ON	2006/09/12 16:48
1 1.1 - 4.		level	USOCR;			
		grandiga a santa da s	EPO; JPO; DERWENT;	ll vii ξε Liger (se quiting in €		
			IBM_TDB			
S68	127	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:50
S69	29	(US-20030030668-\$ or	US-PGPUB;	OR	ON	2006/09/12 16:54
	* * * * *	US-20050120313-\$ or US-20040189684-\$ or	USPAT			
	i eta	US-20040169664-5 or			1 1	e the second
		US-20040041829-\$ or				L SANTALA
-, -		US-20020055872-\$ or		· · · · · · · · · · · · · · · · · · ·		
		US-20040268260-\$ or		And the second		
		US-20020109712-\$ or	the second second			The second second second
		US-20030090519-\$ or		* *	y symmetri	
	- c ·	US-20040109031-\$ or				
		US-20050015728-\$ or US-20050203767-\$).did. or	the state			
		(US-6262730-\$ or US-5535321-\$ or	•			
	ن ۹	US-5513308-\$ or US-5115501-\$ or				
		US-7089499-\$ or US-7080321-\$ or				
:		US-6871346-\$ or US-6629843-\$ or				
		US-7065188-\$ or US-5995101-\$ or				
	i.	US-5546528-\$ or US-6917958-\$ or				,
		US-6513060-\$ or US-6243759-\$ or				
		US-6564170-\$ or US-7069234-\$ or	* 1			
-		US-6981242-\$).did.				,

S70	9	S69 and histor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:54
S71	143	("4648062" "4789962" "4899276" "4992972" "5029113" "5123086" "5157768" "5175812").PN. OR ("5287448"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 17:10
S72	6	S71 and (tool near tip)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 17:11
S73	10472	(help-near tip) or (tool-near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 07:56
S74	84672	(deactivate or deactivation or deactivating) and (activate or activation or activating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 07:57
,S75	503	customiz\$5 with software with interface	USPAT	OR	ON	2006/09/13 08:06
S76	1	S73 and S74 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:06
S77	2	"5958012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ΘR	ON	2006/09/13 09:22
S78	8379787	numer\$4 or number or multiple or many	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:23

S79	857305	S78 with (window or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/13 09:24
S80	13941034	open\$2 or execut\$3 or access\$2 or use\$1	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/09/13 09:27
*			DERWENT; IBM_TDB	# 		
S81	201339	S79 with S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:33
S82	2	"5438661".pn.	US-PGPUB; USPAT;	OR	ON	2006/09/13 09:28
	j.	The Company of the Co	USOCR;			
			EPO; JPO; DERWENT;	all a		
			IBM_TDB			
S83	5139794	monitor\$3 or track\$3 or detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:34
S84	1542	history near log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:34
S85	9225	S83 with S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:35
S86	1264838	GUI or interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:35

S88	759	S85 same S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/13 09:36
S89	131314	personaliz\$5 or customiz\$5	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:36
S90	55	S89 same S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:43
S91	23529	S79 with open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:44
S92	1140	S83 with S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:46
S93	3670185	conrurrent or concurrent or concurrently or simultaneous or simultaneously or ("same" near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:46
S94	68	S92 same S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:46



PALM INTRANET

Day: Wednesday Date: 9/13/2006 Time: 16:47:32

nventor Name Search Result

Your Search was:

ast Name = KAHN irst Name = JESSICA

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10263008	Not Issued	71		Method and apparatus for dynamically locating resources	KAHN, JESSICA
10682645	Not Issued	30	10/08/2003	Automatic, dynamic user interface configuration	KAHN, JESSICA
10951915	Not Issued	30	09/27/2004	Live content resizing	KAHN, JESSICA
11105637	Not Issued	30	04/13/2005	News feed browser	KAHN, JESSICA
11105771	Not Issued	30	04/13/2005	Multiple-panel scrolling	KAHN, JESSICA
11105810	Not Issued	30	04/13/2005	News feed viewer	KAHN, JESSICA
11370644	Not Issued	20	03/07/2006	Platform for feeds	KAHN, JESSICA
11371153	Not Issued	20	03/07/2006	Bookmarks and subscriptions for feeds	KAHN, JESSICA
11371311	Not Issued	20	03/07/2006	MIME type detection for feeds	KAHN, JESSICA
11390588	Not Issued	20	03/27/2006	News feed browser	KAHN, JESSICA
11390689	Not Issued	30	03/27/2006	News feed viewer	KAHN, JESSICA
60582868	Not Issued	159	06/25/2004	Live content resizing	KAHN, JESSICA
10210824	Not Issued	41	07/31/2002	Automatic format of removable media	KAHN, JESSICA L.
60382495	Not Issued	159	05/21/2002	Automatic format of removable media	KAHN, JESSICA L.

nventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Invent	or KAHN	JESSICA	Search

lo go back use Back button on your browser toolbar.

3ack to PALM | ASSIGNMENT | OASIS | Home page